



GN-225

V Semester B.Sc. Examination, December - 2019
(CBCS) (F+R) (2016-17 and Onwards)

CHEMISTRY

Physical Chemistry Paper - VI

Time : 3 Hours

Max. Marks : 70

- Instructions :** (i) The question paper has **two** parts. Answer **both** the parts.
(ii) Draw diagrams and write chemical equations wherever necessary.

PART - A

Answer **any eight** of the following questions. Each question carries **two** marks. **8x2=16**

1. What is Transport number of ion ?
2. What are concentration cells ?
3. Mention two advantages of conductometric titration.
4. The specific conductance of 0.1 M solution of an electrolyte at a given temperature is $0.5092 \Omega^{-1}m^{-1}$. Calculate its molar conductance.
5. Give two limitations of standard hydrogen electrode.
6. Write clausius-Mosotti equation and explain the terms involved in it.
7. Write the selection rule for rotational and vibrational transitions.
8. What is solubility product of a sparingly soluble salt ?
9. Name the region of electromagnetic spectrum in which rotational spectrum and vibrational spectrum occur.
10. State Hooke's Law.
11. What are inelastic collisions ?
12. Give any two applications of polarography.

P.T.O.



PART - B

Answer **any nine** of the following questions. Each question carries **six** marks. **9x6=54**

13. (a) Describe the principle involved in the conductometric titration of strong acid versus weak base graphically. **4+2**
(b) The Molar conductance of infinite dilution for NaCl, NH₄Cl and NaOH are 12.6×10^{-3} , 15.0×10^{-3} and $24.81 \times 10^{-3} \text{ S m}^2 \text{ mol}^{-1}$ respectively. Calculate the λ_{∞} of NH₄OH.
14. (a) State Kohlrausch's Law. Describe the determination of solubility of AgCl from conductance measurement. **4+2**
(b) Define standard electrode potential.
15. (a) Mention any four limitations of Arrhenius theory. **4+2**
(b) The transport number of NO₃⁻ ion at infinite dilution in AgNO₃ is 0.52. The molar conductivity of AgNO₃ at infinite dilution is $12.0 \times 10^{-3} \text{ S m}^2 \text{ mol}^{-1}$. Calculate the ionic conductance of NO₃⁻ ion at infinite dilution.
16. (a) Describe the determination of pH of a solution using quinhydrone electrode. **4+2**
(b) What is liquid junction potential? How it is eliminated?
17. (a) The emf of a cell
Ag|AgCl(s), 0.01M KCl||0.01M AgNO₃|Ag was found to be 0.455 V at 298 K. Calculate the solubility product and solubility of AgCl. **4+2**
(b) Write Nernst equation for single electrode potential and explain the terms.
18. (a) Derive Henderson - Hasselbakh equation for acidic buffer. **4+2**
(b) Explain why phenolphthalein is not a suitable indicator in the titration of ammonium hydroxide and hydrochloric acid.
19. (a) Define : **4+2**
(i) Pyroelectricity (ii) Piezoelectricity
(iii) Peltier effect (iv) Seebeck effect
(b) Mention any two applications of semiconductors.
20. (a) What are paramagnetic and diamagnetic substances? Give two examples for each type. **4+2**
(b) State Born-Oppenheimer approximation.



21. (a) The separation of rotational spectral lines occurred 332 m^{-1} for NO molecule. Calculate the internuclear distance.
Reduced mass of NO = $1.24 \times 10^{-26} \text{ kg}$ $h = 6.626 \times 10^{-34} \text{ Js}$
 $C = 3 \times 10^8 \text{ ms}^{-1}$. 4+2
- (b) H_2 does not show rotation spectrum while HCl shows rotation spectrum. Give reason.
22. (a) Derive an expression for vibrational energy levels of SHO (Simple Harmonic Oscillator). 4+2
- (b) Define zero point energy of a vibrating molecule. Give its equation.
23. (a) Write any four advantages of Raman spectroscopy over IR spectroscopy.
- (b) The reduced mass of a diatomic molecule is $2.5 \times 10^{-26} \text{ kg}$ and its vibrational frequency is $29 \times 10^4 \text{ m}^{-1}$. Calculate its force constant. 4+2
24. (a) Explain in brief : stokes and antistokes lines. 4+2
- (b) Give any two applications of Raman spectroscopy.
25. (a) Define the terms : (i) Diffusion current 4+2
(ii) Half wave potential
- (b) Write two advantages of using Dropping Mercury Electrode (DME).

- o o o -