VI Semester B.A./B.Sc. Examination, May/June 2018
(Fresh+Repeaters) (Semester Scheme)
(CBCS) (2016-17 and Onwards)
MATHEMATICS – VII

Max. Marks : 70

Time : 3 Hours

Instruction : Answer **all** Parts.

PART – A

(5×2=10)

1. Answer **any five** questions.

a) In a vector space V over F show that $c \cdot \alpha = 0 \Rightarrow c = 0$ or $\alpha = 0$.

b) Show that $W = \{(0, 0, z)/z \in R\}$ is a subspace of $V_3(R)$.

c) Show that the vectors $\alpha_1 = (1, 1, 0)$, $\alpha_2 = (1, 1, 0)$, $\alpha_3 = (1, 0, 0)$ are linearly independent.

d) Show that $T : V_2(R) \to V_2(R)$ defined by $T(x, y) = (x + y, x - y)$ is a linear transformation.

e) Write the relation between the Cartesian coordinates and cylindrical coordinates of a point.

f) Solve $\dfrac{dx}{zx} = \dfrac{dy}{yz} = \dfrac{dz}{xy}$.

g) Form a partial differential equation by eliminating arbitrary constants from $x^2 + y^2 = (z - c)^2 \tan^2\alpha$, where c and α are arbitrary constants.

h) Solve $\sqrt{p} + \sqrt{q} = 1$.

PART – B

BMSCW

(2×10=20)

Answer **two full** questions.

2. a) Show that $V = \left\{ \begin{bmatrix} x & 0 \\ 0 & y \end{bmatrix} \middle| x, y \in R \right\}$ is a vector space over R.

b) State and prove the necessary and sufficient condition for a nonempty subset W of a vector space V(F) to be a subspace of V.

OR

P.T.O.

3. a) If V is n-dimensional vector space, show that

     i) any n+1 vectors are linearly dependent.

     ii) no set of n – 1 vectors can span V.

  b) Find the basis and dimension of the subspace spanned by (1, –2, 3), (1, –3, 4), (–1, 1, –2) of the vector space $V_3(R)$.

4. a) Find the linear transformation $T : R^2 \rightarrow R^3$ such that $T(1, 1) = (0, 1, 2)$, $T(–1, 1) = (2, 1, 0)$.

  b) Given the matrix $A = \begin{bmatrix} 1 & 2 \\ 0 & 1 \\ -1 & 3 \end{bmatrix}$, find the linear transformation $T : V_2(R) \rightarrow V_3(R)$

    relative to the bases $B_1 = \{(1, 1), (-1, 1)\}$, $B_2 = \{(1, 1, 1), (1, -1, 1), (0, 0, 1)\}$.

<div align="center">OR</div>

5. a) Let $T : V_3(R) \rightarrow V_3(R)$ be a linear transformation such that $T(1, 0, 0) = (1, 0, 2)$, $T(0, 1, 0) = (1, 1, 0)$, $T(0, 0, 1) = (1, -1, 0)$. Find the range, null space, rank nullity and hence verify rank-nullity theorem.

  b) Let $T : V \rightarrow W$ be a linear transformation. Then show that

     i) R(T) is a subspace of W

     ii) N(T) is a subspace of V

     iii) T is one-one if and only if $N(T) = \{0\}$.

<div align="center">PART – C</div>

Answer **two full** questions :   **(2×10=20)**

6. a) Verify the condition for integrability and solve
$z^2 dx + (z^2 - 2yz) dy + (2y^2 - yz - xz) dz = 0$.

  b) Solve $x^2(y - z)p + y^2 (z - x) q = z^2 (x - y)$.

<div align="center">OR</div>

7. a) Show that spherical coordinate system is orthogonal curvilinear coordinate system.

  b) Express $\bar{f} = 3xi - 2yzj + x^2zk$ in cylindrical coordinates and find f_ρ, f_ϕ, f_z.

8. a) Solve $\dfrac{dx}{1+y} = \dfrac{dy}{1+x} = \dfrac{dz}{z}$.

   b) Solve $\dfrac{dx}{x(y^2+z)} = \dfrac{dy}{-y(x^2+z)} = \dfrac{dz}{z(x^2-y^2)}$.

OR

9. a) Express $\vec{f} = 2xi - 2y^2j + xzk$ in cylindrical coordinates system and find f_ρ, f_ϕ, f_z.

   b) Express $\vec{f} = xi + yj + zk$ in spherical coordinate system and find f_r, f_θ, f_ϕ.

PART – D

Answer **two full** questions. (2×10=20)

10. a) Form the partial differential equation by eliminating arbitrary functions from
    $lx + my + nz = \phi(x^2+y^2+z^2)$.

    b) Solve $x(1 + y)p = y(1 + x)q$.

OR

BMSCW

11. a) Solve $(D^2 - 5DD' + 4D'^2)z = \sin(4x + y)$.

    b) Solve $p^2 = z^2(1 - pq)$.

12. a) Solve by Charpits method $z^2(p^2 + q^2 + 1) = 1$.

    b) Solve $[D^2 - DD' - 6(D')^2]z = xy$.

OR

13. a) $\dfrac{\partial^2 u}{\partial t^2} = c^2 \dfrac{\partial^2 u}{\partial x^2}$ given $u(0, t) = 0$, $u(l, t) = 0$, $u(x, 0) = k(lx - x^2)$, $\left(\dfrac{\partial u}{\partial t}\right)_{t=0} = 0$.

    b) Solve $\dfrac{\partial u}{\partial t} = 16\dfrac{\partial^2 u}{\partial x^2}$, given $u(0, t) = 0$, $u(1, t) = 0$, $\forall t$, $u(x, 0) = x^2 - x$, $0 \le x \le 1$.

———————————