Max. Marks: 70

 $(5 \times 2 = 10)$



3

5

3

3

J 3

Time: 3 Hours

Answer any five questions:

Instruction: Answer all the questions/Parts.

PART - A

VI Semester B.A./B.Sc. Examination, May/June 2018

(CBCS) (2016-17 and Onwards) (Semester Scheme) (Fresh + Repeaters)

MATHEMATICS - VIII

BMSCW

- 1. a) Evaluate $\lim_{z \to -i} \frac{z^2 + 1}{z^6 + 1}$. b) Prove that $u = \frac{1}{2} \log (x^2 + y^2)$ is harmonic.
 - c) Define an analytic function and give an example.
 - d) Define bilinear transformation.
 - e) Show that $f(z) = \cos z$ is analytic.
 - f) State Liouvilles' theorem.
 - g) Find the real root of the equation $x^3 9x + 1 = 0$ in (2.9, 3) by bisection method.
 - h) Using Newton-Raphson method, find the real root of $x^2 + 5x 11 = 0$ in (1, 2) in one iteration only.

PART - B

Answer four full questions:

 $(4 \times 10 = 40)$

- 2. a) Show that $\arg\left(\frac{z-1}{z+1}\right) = \frac{\pi}{4}$ represents a circle.
 - b) Prove that the necessary condition for a function f(z) = u(xy) + iv(xy) to be analytic is $u_x = v_y$ and $u_y = -v_x$.

OR

P.T.O.



- 3. a) Evaluate $\lim_{z\to 1+i} \left[\frac{z^2-z+1-i}{z^2-2z+2} \right]$.
 - b) Show that $f(z) = ze^{z}$ is analytic.
- 4. a) Find the analytic function f(z) = u + iv given that $u v = e^x$ (cosy siny).
 - b) Find the orthogonal trajectories of the family of curves $2e^{-x}\sin y + x^2 y^2 = c$.

OF

- 5. a) If f(z) = u + iv is analytic and ϕ is any differentiable function of x and y, show that $\left(\frac{\partial \phi}{\partial x}\right)^2 + \left(\frac{\partial \phi}{\partial y}\right)^2 = \left[\left(\frac{\partial \phi}{\partial u}\right)^2 + \left(\frac{\partial \phi}{\partial v}\right)^2\right] |f'(z)|^2$.
 - b) Show that $u = x^3 3xy^2$ is harmonic and find its harmonic conjugate.
- 6. a) Evaluate $\int_{(0,1)}^{(2,5)} (3x+y) dx + (2y-x) dy \text{ along}$
 - i) The curve $y = x^2 + 1$.
 - ii) The line joining (0, 1) and (2, 5).
 - b) State and prove fundamental theorem on algebra.

OR

- 7. a) Evaluate $\int_C \frac{\sin(\pi z^2) + \cos(\pi z^2)}{(z-1)(z-2)} dz$ where C is a circle |z| = 3.
 - b) State and prove Cauchy's integral theorem.
- 8. a) Prove that the Bilinear transformation preserves the cross ratio.
 - b) Discuss the transformation $w = z^2$.

OR

- 9. a) Find the bilinear transformation which maps z = 0, -i, -1 on to w = i, 1, 0 respectively.
 - b) Show that the transformation $w = \frac{i-z}{i+z}$ makes the x-axis of the z-plane on

to a circle $\mid w \mid$ = 1 and the points in the half plane y > 0 on the points $\mid w \mid$ < 1



Answer two full questions.

3

 $(2 \times 10 = 20)$

- 10. a) Find the root of the equation $x^3 4x + 1 = 0$ over (0, 1) by Regula-Falsi method.
- b) Find the cube root of 24, correct to three decimal places by Newton-Raphson method

OR

[11. a) Solve the equation

$$x + y + 54z = 110$$

$$27x + 6y - z = 85$$

6x + 15y + 2z = 72 by Gauss-Seidel method.

b) Find the largest eigen value of the matrix and its corresponding eigen vector

$$\begin{bmatrix} 1 & 2 & 3 \\ 0 & -4 & 2 \\ 0 & 0 & 7 \end{bmatrix}$$
 by power method.

- 2. a) Find the solution of $\frac{dy}{dx} = xy$ with y(2) = 2 at x = 2.1 correct to four decimal places, using Taylor series.
 - b) Solve $\frac{dy}{dx} = \frac{y x}{y + x}$ with y(0) = 1 for x = 0.1 by Euler's method.
- 3. a) Solve $\frac{dy}{dx} = x + y$ with y(0) = 1 for x = 0.1 using Euler's modified method.
 - b) Solve $\frac{dy}{dx} = xy$ given y(1) = 2 at x = 1.2 by Runge-Kutta method.