

VI Semester B.C.A. Examination, September 2020 (CBCS) (F+R) (2016-17 and Onwards) **COMPUTER SCIENCE BCA 601: Theory of Computation**

Time: 3 Hours

Max. Marks: 100

Instruction: Answer all Sections.

SECTION - A

Answer any ten questions. Each question carries two marks.

 $(10 \times 2 = 20)$

- 1. Define Alphabet and Symbol with example.
- 2. Draw a Deterministic Finite Automata (DFA) to accept strings of even ata (SMSCW LIBRARY number of a's.
- 3. Define ∈-closure of a state.
- 4. State Arden's theorem.
- 5. Obtain a regular expression for the set of all strings that do not end with 01 over $\Sigma = \{0, 1\}.$
- 6. Write the meanings of the following regular expression:
 - i) 0* 1* 2*
 - ii) $(a + b)^* c$.
 - 7. Define Grammar.
 - 8. What is parsing (derivation)?
 - 9. Find the language accepted by the following grammar.
 - $S \rightarrow aCa$
 - $C \rightarrow aCa|b$




- 10. Define Chomsky Normal Form (CNF).
- 11. State post correspondence problem.
- 12. Mention various types of turing machines.

SECTION - B

Answer any five questions. Each question carries five marks.

 $(5 \times 5 = 25)$

- 13. Obtain a DFA to accept strings of a's and b's ending with ab or ba.
- 14. Design NFA to accept the strings abc, acd and abcd.
- 15. Construct DFA for the regular expression ab* + b.
- 16. Prove that the language $L = \{WW_{(v)} \in (a + b)^*\}$ is not regular. W is the reverse LIBRARY of the string W.
- 17. Obtain grammar for the following DFA.



18. Eliminate left recursion from the grammar.

$$S \rightarrow Ab/a$$

$$A \rightarrow Ab/Sa$$


- 19. Construct a PDA to accept the language $L = \{a^n b^{2n}/n \ge 1\}$ by final state. (PDA: Push Down Automata)
- 20. Explain the model of turing machine with mathematical representation.

SECTION - C


Answer any three questions. Each question carries fifteen marks.

 $(3 \times 15 = 45)$

21. Convert the following ∈ -NFA to its equivalent DFA.



22. Minimize the following DFA.



23. a) Explain Noam Chomsky hierarchy of generative grammars with suitable examples.

8

- b) Define ambiguous grammar and show that the following grammar is ambiguous
 - $S \rightarrow aB/bA$
 - $A \rightarrow aS/bAA/a$
 - $B \rightarrow bS/aBB/b$

7

24. a) Eliminate unit productions from the following grammar.

•

- $S \rightarrow AB$
- $A \rightarrow D$
- $D \rightarrow a$
- $B \rightarrow F$
- $F \rightarrow b$

SE - 344



- b) Eliminate ∈-productions from the following grammar.
 - $S \rightarrow AB$
 - $A \rightarrow aAA/\in$
 - $B \rightarrow bBB/\epsilon$

7

25. Obtain a turning machine to accept the language $L = \{0^n \ 1^n / \ n \ge 1\}$.

15

SECTION - D

Answer any one question. Each question carries ten marks.

 $(1 \times 10 = 10)$

- 26. Obtain a DFA to accept strings of a's and b's having even number of a's and even number of b's.
- 27. Define Greibach Normal Form (GNF). Convert the following context free grammar into GNF.
 - $S \rightarrow AB$
 - $\mathsf{A}\to\mathsf{BSB}$
 - $A \rightarrow a$
 - $B \rightarrow b$

BMSCW LIBRARY